

A STROKE TOWARDS... A MASTERPIECE




Floor Plans Booklet CHOOSE THE BEST FOR YOURSELF

Opposite Gannavaram Airport, Beside Medha IT Park V I J A Y A W A D A



A Perfect **HARMONIZE WITH LUSHNESS AND LUXURY**





DINING

AND MEDHA IT PARK & HCL TECHNOLOGIES

CHOOSE FROM DIFFRENT TYPES OF FLOOR-PLANS THAT SUITES YOU.

LIVING ROOM



VIJAYAWADA

WELCOME TO ONE OF THE MOST MODERN **PROPERTIES OF ANDHRA PRADESH LOCATED OPPSITE GANANAVARAM INTERNATIONAL AIRPORT**

SUNRISE VISTAS OFFERS A VARIETY OF VILLAS.





VIJAYAWADA








Sunrise Vistas offers a range of independent duplex villas for sale in Vijayawada. Our 3 BHK & 4 BHK home villas and row houses are expertly planned to maximize the carpet area for your home.

These luxury villas and row houses in Vijayawada include spacious balconies and terraces letting you spend hours taking in the natural scenic beauty at Sunrise Vistas.

Whether you like to be on your own or whether you are a social butterfly, our luxury villas and row houses at Sunrise Vistas ohave space for everyone.



• Good schools nearby • 15 min to Benz Circle • 10 min to Best price, DMart

EAST Total

S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
1	33' x 54'	2638	16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27 28, 29, 30, 31, 46, 50, 51, 52, 55, 56, 57 58, 59, 67, 68, 69, 72	
2	33' x 60'	2746	1, 2, 3, 4, 5, 6, 82, 83, 84, 85, 95, 96, 97, 98	14
3	30' x 54'	2356	24	1
4	54' x 40'	2727	77	1
5	41'.9" x 47'.9"	2639	73, 74	2
6	25'.9" x 54'	2093	60	1
7	35'.6" x 46'	2548	132, 133	2
8	35' x 42'	2404	74A, 75, 76	3
9	35' x 86'	3712	127, 128, 129, 130, 131	5
10	35' x 60'	2448	67, 68, 69, 70, 71	5

Total

S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
11	33' x 54'	2607	33, 34, 35, 36, 37, 39, 40, 41, 42, 43 44, 45, 79, 80, 81, 87, 99, 100, 101, 102 103, 104, 105, 106.	24
12	33' x 60'	2764	61, 88, 89, 90, 91, 92, 93, 94, 116, 117 118, 119, 123, 124.	14
13	30' x 60'	2477	62, 63, 64, 65, 66, 122.	6
14	30'.9" x 54'	3278	73, 74	2
15	25' x 55'	2202	86	1
16	45'.6" x 67'.6"	2887	121	1
17	37'.3" x 51'.9"	2767	125, 126	2



S.No	Sizes	Area in Sft.	Villa Numbers	No of Villas
18	30' x 60'	2698	7, 8, 9, 10	14
19	33' x 59'	2925	38, 53, 54, 107, 108, 109, 110	6
20	35' x 47'	2638	15, 134, 135, 136, 137, 138	2
21	42'.6" x 70'	3295	115	1



S.No	Sizes	
21	30' x 60'	
22	33' x 59'	
23	35' x 47'	

SCHEMATIC DIAGRAM


Area in Sft.	Villa Numbers	No of Villas
2428	111, 112, 113, 114	14
2649	11, 12, 13, 14.	6
3067	120	2

E

33 x 54 Savds **1 EAST**

33 X 34	+ Sq.yus
198	Sq.yds

Ground Floor	: 1086 Sft	Slab Area
First Floor	: 1086 Sft	2638 Sft
Second Floor	: 466 Sft	2030 511





East Facing Independent Villa

E



02 EAST


Ground Floor	: 1140 Sft	Slab Area
First Floor	: 1140 Sft	2746 Si
Second Floor	: 466 Sft	2740 31





33 x 60 Sq.yds 220 Sq.yds

> ea Sft





East Facing Independent Villa



03 EAST 30 x 60 Sq.yds 200 Sq.yds

Ground Floor	: 1010 Sft	Slab Area
First Floor	: 1010 Sft	2448 Sft
Second Floor	: 428 Sft	2440 010









04 EAST

Ground Floor	: 997 Sft	Clob Area
First Floor	: 997 Sft	Slab Area 2404 Sf
Second Floor	: 410 Sft	2404 31







35 x 43 Sq.yds

167 Sq.yds







STEP UP for REJUVENATION

INDULGE IN DIVERSE WORLD-CLASS AMENITIES

Apart from the joy of living around trees, you will also be able to enjoy the world-class amenities that are replete at Sunrise Vistas - Club House







Club House Amenities:

- Conference room
- Swimming Pool / Toddlers' Pool
- Food Court
- Gymnasium
- Multi-purpose hall
- Association room
- Golf simulator
- Indoor games Snooker, Table tennis, Air hockey, Football
- Outdoor children's play area
- CCTV
- Badminton court
- Cricket Nets
- Walking jogging track
- Senior citizen park
- Landscaped seating areas
- Relexology pathway




THE CLUB HOUSE






05 EAST 35 x 86 Sq.yds 334 Sq.yds

Ground Floor	: 1606 Sft	Slab Area
First Floor	: 1606 Sft	3712 Sft
Second Floor	: 500 Sft	5712 010








01 WEST 19

Ground Floor	: 1086 Sft	Olah Asa
First Floor	: 1086 Sft	Slab Are 2607 S
Second Floor	: 466 Sft	2007 3




West Facing Independent Villa



33 x 54 Sq.yds **198 Sq.yds**

> ea Sft







33 x 60 Sq.yds **WES** 02

220 Sq.yds


Ground Floor	: 1140 Sft	
First Floor	: 1140 Sft	Clab Arras
Second Floor	: 466 Sft	Slab Area 2764 Sft







Ground Floor	: 1180 Sft	Olah Ar
First Floor	: 1180 Sft	Slab Ar 2925 S
Second Floor	: 565 Sft	




North Facing Independent Villa

33'-0"

SOUTH

33 x 59 Sq.yds 216 Sq.yds

rea Sft



Ν


North Facing Independent Villa


S



02 NORTH 35 x 47 Sq.yds 183 sq.yds

Ground Floor	: 1019 Sft	
First Floor	: 1019 Sft	Slab Area 2638 Sft
Second Floor	: 600 Sft	2050 511








01 SOUTH


Ground Floor	: 951 Sft	Slab A
First Floor	: 951 Sft	2428
Second Floor	: 526 Sft	2420



South Facing Independent Villa

30 x 59 Sq.yds **197 Sq.yds**





Structure

RCC framed structure with RCC slabs & beams system Super structure

Super structured

- External walls in brick masonry 9" thick using Solid Fly Ash Blocks / light weight bricks/ AAC blocks
- Internal walls in brick masonry 4½" thick using Solid Fly Ash Blocks / light weight bricks/ AAC blocks

Wall Finishes

- Internal Walls Smoothly prepared surface with putty with Asian paints or equivalent make over
- External Walls Double coat plastering, with Weather proof paint in Smooth or Textured finish of Asian paints or equivalent make
- Internal Walls Single coat plastering, exposed surfaces shall be finished with two coats of roller applied plastic emulsion of Asian paints or equivalent make over smoothly prepared surface with putty
- External Walls Weather proof paint in Smooth or Textured finish of Asian paints or equivalent make Water proofing
- Water proofing in all toilets and other wet areas and Terrace Area with Brush Bond

Bath Fixtures & Plumbing

- Washbasins: Bedroom toilet wash basins of Duravit / TOTO or equivalent of counter below type
- EWC: wall mounted EWC of Duravit / TOTO or equivalent with concealed flush tank. health faucet and angle stopcocks
- CP Fixtures / Faucets: Basin Mixers: Grohe / Bravat / Kohler or equivalent mixer for hot and cold water & angle stopcocks
- Shower: concealed single lever diverter for hot and cold water, over head shower & spout of Grohe / Bravat / Kohler or equivalent
- Kitchen Bowls: Plumbing lines only will be provided for Sink in Kitchen and Utility.
- Geyser: Provision for Geyser's in all Toilets and Utility
- Maid Toilet's: EWC with Flush Tank & One Spout Tap will be provided
- False Ceiling All internal drainage lines shall be under deck covered with Grid false ceiling to facilitate serviceability

Water proofing

• Water proofing in all toilets and other wet areas

Joinerv

• Frames o Main door frame in solid sal Wood / Imported Finger Jointed Rubber Wood covered with Veneer with Architraves finished with Melamine polish o Internal door frames in solid sal wood / Imported Finger Jointed Rubber Wood frames covered with Veneer with Architraves finished with Melamine polish

Shutters

- Main door: Flush shutter with Teak / OAK Veneer finished with Melamine polish
- Bedroom doors: Flush shutters with Teak / OAK Veneer finished with Melamine polish
- Toilets & Utility door: Flush shutter finished with one side Teak / OAK Veneer finished with Melamine polish and other side finished with Paint / Laminate
- Hardware: Door Hinges and Tower bolts in SS / Brass SS Coated of Quba or equivalent make
- Windows: Window Double Track Sliding Powder Coated / Anodised Aluminium / UPVC Windows with 5mm Glass and standard Hardwares

Railings

• External and internal Railings in Mild Steel with enamel paint

Electrical Fixtures & Cables

- Fan points: One point each in Drawing, Living, all bedrooms, dining, kitchen, Media Room
- Exhaust fan points in all toilets
- Bell: one call bell point with buzzer outlet in drawing
- **Provision for** Foot lamps in all bedrooms
- Power Sockets: 5AMPS: 2 nos 5amps in each bed rooms, 1 no 5 amp in each toilet, two each in dining and drawing, 1 each in sitouts, 3nos in kitchen (for cook top, chimney and RO unit)
- 15 AMPS: 1 in each toilet for geysers, 6 nos for refrigerator, washing machine, oven and other kitchen appliances in Kitchen and Utility
- 20 AMPS: Junction Box: Split type AC'S points in all bedrooms, dining, Media Room, living and drawing
- TV Cable Outlets: Conduit for TV Cable in Living, Drawing, Media Room & Master Bedroom
- Telephone: Telephone points with conduit and without wire in master bedroom and drawing
- Intercom: Intercom wiring and point in Living room to connect between all units and security room
- Internet: Internet cable conduit provision in Living Room
- and lighting protection
- Distribution Boards with ELCB's and MCB's of MDS legrand/ ABB/Havells or equivalent make
- Switches: MDS mosaic / Legrand / Schneider/ Panasonic or equivalent make
- Cables: Concealed Copper Wiring of Polycab / Fenolex / Laap or Equivalent make
- **Power Backup:** Power Backup for Common Areas

Flooring & Skirting

- Foyer, Drawing, Living & Dining: Peacock Beige / Aghora Beige Imported Marble flooring with Polish
- Master Bedroom & Home Theatre: Laminated wood flooring of PERGO / equivalent Make
- alent make
- Stone Flooring in Shower areas
- Pathways & Other Hard Surfaces in Landscaped areas: Rough Tandoor stone slabs
- Parking Area: Cement Concrete Flooring / Rough Tandoor stone slabs

Dado

- or equivalent make
- Kitchen: Dado Not in Scope
- Utility: Dado upto 4' in glazed ceramic tiles of Multistone / Italica or equivalent make

Counter Tops

- Toilet Washbasins: in 18 mm Thick Polished Tan Brown / Black Granite slabs
- Kitchen & Utility Platform: Not in Scope

Services

- municipal main and bore well. Supply from bore well shall be treated as requirement.
- STP: Centralised Sewerage Treatment Plant for treating sewerage water to be used for Landscaping
- Drainage: Internal and external drainage lines in GRADE 'B' UPVC of Prince / Astral / equivalent make.

SPECIFICATION

• Light points: one light point for every 150 sft of built up area for each unit. Two way light points one each in bed rooms.

• Earthing: Multi strand copper wire for earthing by means of loop system. Separate earthing for transformer, DG set

• Other bedrooms, Kitchen, & office room: 800 MM X 800 MM Full Body Vitrified Tiles of Multistone / Italica or equiv-

• Sitouts: 2' X 1' Antiskid Full Body Vitrified / Ceramic Tiles of Multistone / Italica or equivlent make / Natural Stone • Toilets & Utility: 1' X 1' Antiskid ceramic Tiles of Multistone / Italica or equivalent make and Leather Finish Natural

• Toilets : Dado upto 8' (lintel Height) in Wet Area and upto 4' in Dry Area in glazed ceramic tiles of Multistone / Italica


• Water Supply: water supply shall be means of pneumatic system from central tank. Supply of water shall be from





Medha IT Park

GANNAVARAM GATEWAY TO AMARAVATI



Disclaimer: This brochure is having only conceptual Presentation of the Project and not a Legal oering the promoters reserve the rights to make changes in plans, specifications and elevation as deemed fit.



Seethammadhara Visakhapatnam-530013 Cell: 9440 273737 86762 94493

ARCHITECTS:

Ar. KONA SARATH, B.Arch., MURP VIJAYAWADA- 520008 Mail: sarathkona2017@gmail.com Cell: 9849548848

ARCHITECTS

Veer Kumar T V.C Associates, Visakhapatnam Mail: va_kumar@rediffmail.com Cell: 9246624628